## **Product Specifications Tamper Evident**

# e.HOFMANN

### **PLASTICS**

| TECHNICAL DATA                |  |                 |                   |
|-------------------------------|--|-----------------|-------------------|
| Capacity under lid            | 11lt /2.5gal                               |                 |                   |
| Wall Thickness                | Pail PR1100<br>Lid LR1100                  | 1.3mm<br>1.65mm |                   |
| Weight (approx.) without bail | Pail PR1100<br>Lid LR1100                  | 380g<br>94g     | 13.40oz<br>3.32oz |
| Pail Material                 | Polypropylene                              |                 |                   |
| Lid Material                  | HDPE                                       |                 |                   |
| Handle                        | Plastic                                    |                 |                   |
| Thermal range                 | -18°C (0°F) to 66°C (150°F)                |                 |                   |
| Printing                      | Dry Offset - Up to 6 Colours               |                 |                   |
| Pail Colour                   | Standard in White, other colors available. |                 |                   |

#### TOP LOADING RESISTANCE

60kg (132lbs) at 23°C (73°F), 30 days, product temperature when filling pails and warehouse temperature will affect pail performance. Hofmann recommends testing prior to full production.

#### **OPENING & CLOSING**

TO OPEN: Break tamper evident tab, then lift cover. TO CLOSE: Place lid on pail, press on with hands.

#### **RECOMMENDATIONS**

Do not exceed pallet edges with pails. Grade A pallets should be used with boards that have tight spacing to ensure proper pail support. To improve stability, release air from pail when applying the lid. Stretch wrapping machine tension should be adjusted to ensure no deformation of the pail. Use slip-sheet to improve pails stability. Hofmann recommends testing prior to full production.

#### **APPROVALS**

Virgin materials are approved for food contact and meet FDA (Food and Drug Administration USA) and HPB (Health Protection Branch Canada) regulations.

Handling conditions vary a lot from customer to customer. Tests are recommended throughout the process of denesting, filling, onveying palletization, warehousing, transportation and utilization by intermediaries and users. Specifications can change without notice. Please contact your Hofmann representative to confirm this data.



**PAIL:** PR1100 **LID:** LR1100



| DIMENSIONS           | CM   | INCHES |
|----------------------|------|--------|
| Pail Height          | 27.6 | 10.88  |
| Pail Height with Lid | 27.8 | 10.94  |
| Upper width with Lid | 27.9 | 11     |
| Lower Width          | 23.5 | 9.25   |

#### PACKAGING OF EMPTY PAILS & LIDS

- Warehousing of empty pails: 240 per pallet
- Warehousing of LR1100 Lids:240 per box 2,880 per pallet
- Max 2 pallets high for warehousing of pails







