

TECHNICAL DATA

Capacity under lid .59L / 20 us oz

Pail TE600 Tamper Evident Container with Tear Tab

Lid TLR235 Snap on Lid

Wall Thickness TE600 0.51mm 0.020in
TLR235 0.46mm 0.018in

Weight (approx.) without bail TE600 20.2g 0.54oz
TLR235 6.5g 0.22oz

Material TE600 Polypropylene
TLR235 Polypropylene

Thermal range 0°C (32°F) to 90°C (194°F)

Decoration In Mould Labelling

Standard Color Standard in White, other colors available

TOP LOADING RESISTANCE

60kg (132lbs) at 23°C (73°F), 30 days, product temperature when filling pails and warehouse temperature will affect pail performance. Hofmann recommends testing prior to full production.

OPENING & CLOSING

TO OPEN: Break the Tamper-Evident tab, then remove lid.

TO CLOSE: Start the lid at one side first, then apply around while releasing air on opposite side. Pressing the center of the lid if needed to burp container.

RECOMMENDATIONS

Do not double stack skids upon one another; racking recommended. Grade A pallets should be used with boards that have tight spacing to ensure proper box support. Stretch wrapping machine tension should be adjusted to ensure no deformation of the boxes. Hofmann recommends testing prior to full production.

APPROVALS

Virgin materials are approved for food contact and meet FDA (Food and Drug Administration USA) and HPB (Health Protection Branch Canada) regulations.

HANDLING

Handling conditions vary from customer to customer. Tests are recommended throughout the process of denesting, filling, conveying palletization, warehousing, transportation and utilization by intermediaries and users. Specifications can change without notice. Please contact your Hofmann representative to confirm.

PRODUCT CODE

PAIL: TE600 (20 OZ)

LID: TLR235



DIMENSIONS	CM	INCHES
Lower Diameter	9.78	3.85
Upper Diameter with Lid	12.01	4.73
Upper Width with Lid	12.01	4.73
Height with Lid	8.36	3.29

PACKAGING OF EMPTY PAILS & LIDS

- Warehousing of empty pails:
 - TE600 560 per box (20 box per pallet)
11,200 per skid
 - TLR235 1,000 per box (48 box per pallet)
48,000 per skid
- Max 2 pallets high for warehousing of Pails
- Max 2 pallets high for warehousing of Lids

